(11)Publication number:

05-181266

(43)Date of publication of application: 23.07.1993

(51)Int.CI.

G03F 7/004

G03F 7/004

G03F 7/004

G03F 7/027

(21)Application number: 04-129726

(71)Applicant: KONICA CORP

(22)Date of filing:

24.04.1992

(72)Inventor: ADACHI YUTAKA

NAKAI HIDEYUKI TANAKA TAKESHI

(30)Priority

Priority number: 03132287

132287 Priority date: 09.05.1991

Priority country: JP

(54) PHOTOSENSITIVE COMPOSITION

(57)Abstract:

PURPOSE: To obtain a photosensitive compsn. ensuring improved appliability and preservability of a photosensitive soln., giving an excellent visible image by exposure and having excellent solubility in a solvent.

CONSTITUTION: This photosensitive compsn. contains a fluorine-contg. surfactant made of a copolymer of acrylate or methacrylate (A) contg. a 6-20C fluoro- aliphatic group having ≥30wt.% fluorine content with (polyoxyalkylene) acrylate or (polyoxyalkylene) methacrylate (B). The copolymer has 1,000-6,000mol.wt. and contains 10-25wt.% of the monomer A. The fluoro-aliphatic group is preferably a perfectly fluorinated aliphatic group.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]